

Data Flow System

Document Title:	VISTA Infrared Camera Data
	Flow System PDR RID Responses
	with PDR Panel Disposition.

Document Number:

VIS-TRE-IOA-20000-0006

Issue:

0.8

Date:

2004-09-02

Base Document Prepared by:	Peter Bunclark (CASU)	Signature and Date:	2004-05-07
Base Document Approved by:	Mike Irwin (CASU Manager)	Signature and Date:	2004-05-07
Base Document Released by:	Jim Emerson (VISTA DFS Project Leader)	Signature and Date:	2004-05-07
Dispositions Agreed by:	Michel Peron (ESO DMD) co-Chair of review Board	Signature and Date:	
Dispositions Agreed by:	Jim Emerson (VISTA PI) co-Chair of review Board	Signature and Date:	

VISTA DATA FLOW	Infrared Camera PDR RID Responses	Doc Number: Date:	VIS-TRE-IOA-20000-0006 2004-09-02
SYSTEM	KID Kesponses	Issue:	0.8
		Page: Author:	2 of 68 Peron/Emerson

Change Record

Issue	Date	Sections Affected	Remarks
0.5	2004-05-07	All	New Document
0.6	2004-05-13	All	PDR Panel decisions added
			ESO reviewers added to
			notification list
0.7	2004-07-07	2.1.9, 2.2.17,	Incorporate 07-07-04 corrections
		2.2.27	from Peron
0.8	2004-09-02	2.2.1, 2.2.10,	Incorporate some of the 20-07-04
		2.2.12, 2.4.2	suggestions from Bunclark

Notification List

ATC:	Alistair McPherson	
	Simon Craig	
	Andy Born	
	Malcolm Stewart	
	Mel Strachan	
	Andy Longmore	
	Steven Beard	
RAL:	Kim Ward	
	Martin Caldwell	
	Gavin Dalton	
Cambridge:	Will Sutherland	
	Jim Lewis	
	Simon Hodgkin	
Durham:	Paul Clark	
	Nirmal Bissanouth	
ESO:	Cullum	
	Peron	
	Ballester	
	Comeron	
	Castro	
	Hummel	
	Kaufer	

Contents

		ecord	
Not		on List	
1	Intro	duction	5
1	.1	Scope	5
1	.2	Acronyms and Abbreviations	5
1	.3	Applicable Documents	5
1	.4	Reference Documents	5
2		ew Items	
2		Review Items referring to the User Requirements [RD1]	
_	2.1.1	MPE-001 ETC	
	2.1.2		
	2.1.3		
	2.1.4		
	2.1.5	WHU-010 Microsteps and Seeing Operationally	11
	2.1.6		
	2.1.7	MPE-004 Data Quality Trends	13
	2.1.8	WHU-011 Scope of Quality Control	
	2.1.9		
2	.2	Review Items referring to the Calibration Plan [RD2]	16
	2.2.1	MPE-001 ETC	17
	2.2.2	WHU-013 Calibration Cascade Diagram	18
	2.2.3	MPE-009 Ensembles of FITS Files	19
	2.2.4	FCT-001 Ensembles of FITS files	20
	2.2.5	MPE-010 Quality Control Measures	
	2.2.6	PBA-004 Clarify Overheads on Duration	
	2.2.7		
	2.2.8	WHU-007 Functionality versus Completeness of Frames	
	2.2.9	WHU-002 Lamp efficiency and saturation	
	2.2.1	- · · · · · · · · · · · · · · · · · · ·	
	2.2.1	1	
	2.2.1	1 A	
	2.2.1	1	
	2.2.1	8	
	2.2.1		
	2.2.1		
	2.2.1		
	2.2.1	1	
	2.2.1		
	2.2.2		
	2.2.2		
	2.2.2		
	2.2.2		
	2.2.2		
	2.2.2	5 WHU-003 Table typo	

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
DIDIEN		Page:	4 of 68
		Author:	Peron/Emerson

2.2.26	WHU-005 Acquire HOWFS Dome Screen	42
2.2.27	FCT-005 Location of Offset Pattern Definitions	
2.2.28	MPE-013 LOWFS/P2PP	
2.2.29	FCT-002 LOWFS/P2PP	
2.2.30	PBA-012 Section Header Typo	
2.2.31	FCT 003 LOWFS/P2PP	
2.2.32	PBA-013 Recipe Reference	
2.2.33	AKA-001 Standard Field Coverage	
2.3 Re	view Items referring to the Data Reduction Specification [RD3]	
2.3.1	PBA-014 Missing Recipes	52
2.3.2	MPE-001 ETC	53
2.3.3	PBA-015 Recipe Hierarchy and Diagram	54
2.3.4	WHU-006 Include Tile Recipe	55
2.3.5	MPE-014 References to Templates	
2.3.6	PBA-016 Twilight and Sky Flat Recipe Equivalence	57
2.3.7	PBA-017 Recipe Name Discrepancy	
2.3.8	PBA-018 WCS and Tile Compression	59
2.3.9	MPE-015 Scripting Language/Runtime Environment	
2.4 Re	view Items referring to the DFS Schedule [RD4]	61
2.4.1	MPE-005 ETC Delivery	62
2.4.2	MPE-008 Test Data	64
2.4.3	PBA-001 ETC Schedule	65
2.4.4	MPE-006 Call for Proposals	66
2.4.5	MPE-007 DR Modules Schedule	
3 Index		68

1 Introduction

1.1 Scope

This document presents the PDR Review Board disposition of the responses by the VISTA Infrared Camera Data-Flow System team to the RIDs, RICs and RIOs on the VISTA IR Camera Data-Flow System Review Panel. These RIXs were generated during review of the Preliminary Design Review (PDR) pack, comprising the VISTA DFS User-Requirements [RD1], Calibration Plan [RD2] Data-Reduction Specification [RD3] and Schedule [RD4]. The Review Board consisted of Peron, Emerson, Comeron, Hummel, Kaufer, Ballester & Castro with Cullum in attendance at the start.

1.2 Acronyms and Abbreviations

ADxx	Applicable Document No xx
CASU	Cambridge Astronomical Survey Unit
IOA	Institute of Astronomy (Cambridge)
PDR	Preliminary Design Review
RDxx	Reference Document No xx
RIC	Review Item Clarification required
RID	Review Item Discrepancy
RIO	Review Item Observation
TBD	To Be Decided
TRE	Technical Report
VIRCAM	VISTA Infrared Camera
VISTA	Visible and Infrared Survey Telescope for Astronomy

1.3 Applicable Documents

[AD1] Data Flow for the VLT instruments requirements specification, VLT-SPE-ESO-19000-1618, issue 1.0, 1999-04-21.

1.4 Reference Documents

- [RD1] VISTA Infra Red Camera DFS User Requirements, VIS-SPE-IOA-20000-00001, issue 0.5, 2004-04-08.
- [RD2] VISTA Infra Red Camera DFS Calibration Plan, VIS-SPE-IOA-20000-00002, issue 0.5, 2004-04-08.
- [RD3] VISTA Infra Red Camera DFS Data-Reduction Specifications, VIS-SPE-IOA-20000-0003, issue 0.5, 2004-04-08
- [RD4] VISTA IR Camera DFS Schedule, VIS-PLA-QMU-20000-0005, issue 0.5, 2004-04-22

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
BIBIEN		Page:	6 of 68
		Author:	Peron/Emerson

2 Review Items

2.1 Review Items referring to the User Requirements [RD1].




Table 2-1 RIx Count for User Requirements

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	7 of 68
		Author:	Peron/Emerson

2.1.1 MPE-001 ETC

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

X

RI No:	MPE-001
Review Item	
Document Title:	ALL (case of User Requirements)
Document No:	
Document Originator:	

Discrepancy/Clarification Required/Observation:

I am missing in the documentation the v0.5 of the Exposure Time Calculator specifications

Action Recommended by Initiator:

Add requested information

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)Major XMinorWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

Specification will be added to User Requirements.

Date/Signature Actionee: Jim Emerson 28/04/04

Board Disposition:

The preliminary ETC Specification needs to be reviewed by ESO well before FDR, and is to be sent to M Peron for ESO review by 1 July 2004

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	8 of 68
		Author:	Peron/Emerson

2.1.2 MPE-002 P2PP, Data Rate

Review Title:

PDR VISTA DFS

Review Item

Discrepancy Clarification Observation

RI No:	MPE-002
Review Item	
Document Title:	VISTA DFS User requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	

Discrepancy/Clarification Required/Observation:

The document "DFS User requirements" should also contain the following items:

- possible impact on P2PP and preparation tools
- information about data rate

Action Recommended by Initiator:

Please add this information by FDR

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

Major X

Minor

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

The information will be added by FDR as requested. The possible impact on P2PP and preparation tools is the subject of a study currently underway and scheduled for completion before FDR. A tool/utility for selecting sets of guide and LOWFS stars, given the position constraints imposed by the instrument, will be needed, however it is related to P2PP. The design (maximum) data rate for VIRCAM is one exposure every 10s over a night of 14 hours equivalent to 1.4 TBytes/night, but the typical volume resulting from scientific observations will be less than this i.e. ~0.4TB/night

Date/Signature Actionee: Jim Emerson 28/04/04

Board Disposition:

The preliminary P2PP Specification needs to be reviewed by ESO well before FDR. Martin Folger (who will work on these matters) should visit ESO as soon as possible. P2PP Specification should be sent to M Peron for ESO review by 1 Aug 2004.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	9 of 68
		Author:	Peron/Emerson

2.1.3 PBA-002 Other Required Tools

Review Title:

PDR VISTA DFS

Review Item

RI No:	PBA-002
Review Item	All
Document Title:	VISTA IR Camera DFS User Requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: Will there be any specific tool other than the Exposure Time Calculator needed, e.g. a tool for selecting standard fields?

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major X

Minor

Withdrawn

Χ

Discrepancy

Clarification

Observation

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Yes. As mentioned in 2.1.2, MPE-002, we will need tools for selecting guide and LOWFS stars, and for selecting standard fields. These will be specified at FDR.

Date/Signature Actionee: J. Emerson 06/05/2004

Board Disposition: Covered by action for 2.1.2, MPE-002.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
DIDIEN		Page:	10 of 68
		Author:	Peron/Emerson

2.1.4 WHU-001 Microsteps

Review Title:

PDR VISTA DFS

DiscrepancyReview ItemClarificationXObservation

RI No:	WHU-01
Review Item	Page 8 of 21
Document Title:	VISTA DFS User Requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: Table 2-1 mentions 0.34" pixel size, so three pixels is one arcsec. The micro step pattern is fixed to 0.5 pixels, as mentioned on page 7. Isn't the microstep then < 0.3 arcsec instead of the mentioned 3 arcsec? IT seems to be there are microsteps in N+0.5 pixel units allowed.

Action Recommended by Initiator:

If this is a typo, please correct, otherwise please add a sentence to clarify this.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

Major	Minor	Х	Withdrawn
-------	-------	---	-----------

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: To clarify, the glossary entry for Microstep is modified by insertion after "the non-integral part of the shifts are specified as 0.5 of a pixel" the words "(i.e. shift is N+0.5 pixel)".

Date/Signature Actionee: M. Irwin 04/05/2004

Board Disposition:

Proposed clarification accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	11 of 68
		Author:	Peron/Emerson

2.1.5 WHU-010 Microsteps and Seeing Operationally

Review Title:

PDR VISTA DFS

Review Item

Clarification X Observation

Discrepancy

RI No:	WHU-10
Review Item	Page 16 (was 8) of 21
Document Title:	VISTA DFS User Requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

The document mentions the micro-step mode (DITHER) in a manner, as it could be decided on the fly, according to the current seeing conditions, if micro steps are applied or not. This is misleading. Operationally, there must be two OBs one prepared with and one prepared without microsteps being involved. The seeing will very certainly in an unpredicted manner much faster than the typical OB execution duration.

Action Recommended by Initiator:

The interplay between micro steps, seeing variations and operations should be clarified.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: The page reference appears to be wrong; p 16 has the relevant text bulleted as "Under-sampling". However, this refers to action the pipeline must take; the initial observations will indeed have been chosen by the operator from alternative sets of OBs defined for various sets of seeing restrictions.

Date/signature Actionee: P. Bunclark 04/05/2004

Board Disposition: Clarification accepted. It was agreed that a keyword was needed in FITS.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	12 of 68
		Author:	Peron/Emerson

2.1.6 MPE-003 Photometric Calibration output

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

X

RI No:	MPE-003
Review Item	Page 16
Document Title:	VISTA DFS User requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	

Discrepancy/Clarification Required/Observation:

Page 16: You write that the manifestation of the photometric calibration in output data frames must be recorded in the FITS header record. I am not sure I understand. Could you please expand? (Which pipeline products are we talking about?)

Action Recommended by Initiator:

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

Major	Minor	X	Withdrawn
Date/Signature Chairperson:	13/05/04	4 Jim Emerson+Michele	e Peron

Actionee Corrective Action: Rephrased to: "The photometric calibrations, including extinction measures, that describe the transformation between internal (instrumental) fluxes to magnitudes on the VISTA photometric system must be recorded for later use."

Comment: The specific photometric calibration derived depends on the detail of the processing and therefore does not necessarily have a one-to-one link with the raw data; hence the original requirement to attach the calibration information to the pipeline products (images and catalogues).

Date/Signature Actionee: M. Irwin 27/04/2004 13/05/04 Jim Emerson & Michele Peron

Board Disposition:

Proposed rephrasing accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	13 of 68
		Author:	Peron/Emerson

2.1.7 MPE-004 Data Quality Trends

PDR VISTA DFS

Review Item

Discrepancy
Clarification
X Observation

RI No:	MPE-004
Review Item	Page 17
Document Title:	VISTA DFS User requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	

Discrepancy/Clarification Required/Observation:

You write that data quality measures must be made and recorded at all stages of the reduction. "This includes comparing calibration frames with master frames and looking for spatial and temporal variations".

Note that the pipeline recipes only generate quality control parameters. They do not compare (i.e. with older data), do not do any trend analysis.

Action Recommended by Initiator:

rephrase

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson+Michele Peron

Actionee Corrective Action: Will reword to "Post-pipeline trend analysis should include comparing calibration frames with master frames to look for spatial and temporal variations".

Date/Signature Actionee: M. Irwin 28/04/2004

Board Disposition: Proposed rewording accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	14 of 68
		Author:	Peron/Emerson

2.1.8 WHU-011 Scope of Quality Control

Review Title:

PDR VISTA DFS

Review Item

DiscrepancyXClarificationXObservation

RI No:	WHU-11
Review Item	P17 4.2.5
Document Title:	VISTA DFS User Requirements
Document No: VIS-SPE-IOA-20000-0001	
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

'Data Quality' is misleading. Generally the QC covers the instrument performance, the instrument quality. Data quality is dependent on the ambient conditions, the instrument quality and the way the OB is optimized.

Action Recommended by Initiator:

Please make sure that quality control is on the performance of the instrument and not on the quality of the science data.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & +Michele Peron

Actionee Corrective Action: Rephrased to "iv. Those that generate Quality Control Measures."

See Also MPE-010 2.2.5.

Date/Signature Actionee: M. Irwin 04/05/2004

Board Disposition:

Proposed rephrasing accepted.

Note that OBs can be stopped if seeing goes bad, The DFS therefore needs to be able to process aborted OBs.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	15 of 68
		Author:	Peron/Emerson

2.1.9 PBA-003 Calibration Scope

Review Title:

PDR VISTA DFS

Review Item

Discrepancy
Clarification
X Observation

Withdrawn

RI No:	PBA-003
Review Item	Pages 18 and 21
Document Title:	VISTA IR Camera DFS User Requirements
Document No:	VIS-SPE-IOA-20000-0001
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

The pipeline does not calibrate the data from each night, but from each template

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson) Major Minor X

Date/Signature Chairperson: 13/05/04 Jim Emerson & +Michele Peron

Actionee Corrective Action: p18 line 1-2 will be changed to "but to allow calibration of the templates used during a night".

P21 line 1 will be changed to "calibrating templates for a night's data" Comment:

The pipeline uses all the information from a night to produce calibration.

Date/Signature Actionee: M. Irwin 04/05/2004

Board Disposition:

Rephrase proposed rewording accepted. In URD for FDR define Catalogues needed in pipeline (e.g. USNO2b, 2MASS). Before FDR discuss with ESO the kind of interfaces which would be required in CPL.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	T T T T T	Issue:	0.8
		Page:	16 of 68
		Author:	Peron/Emerson

2.2 Review Items referring to the Calibration Plan [RD2].

6	Discrepancies
13	Clarifications
13	Observations
33	Total

Table 2-2 RIx Count for User Requirements

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	17 of 68
		Author:	Peron/Emerson

2.2.1 MPE-001 ETC

Review Title:

PDR VISTA DFS

Review Item

X Discrepancy Clarification Observation

RI No:	MPE-001
Review Item	
Document Title:	ALL (case of Calibration Plan)
Document No:	
Document Originator:	

Discrepancy/Clarification Required/Observation:				
I am missing in the documentation the v0.5 of the Exposure Time Calculator specifications				
Action Recommended by Initiator:				
Add requested information				
Date/Signature of Initiator:				
RI Classification: (to be completed by Board Chairperson)				
Major X Minor Withdrawn				
Date/Signature Chairperson: 13/05/04 Jim Emerson & +Michele Peron				
Actionee Corrective Action:				
Specification will be added to Calibration Plan.				
Comment: We wish to discuss where in the Calibration Plan ETC should be covered.				
Date/Signature Actionee: Jim Emerson 28/04/04				
Board Disposition:				
As for MPE-001 2.1.1				
Noted afterwards: ETC spec appears in URD, not in the Calibration Plan.				
RI Closed: X				
RI Closed with Actions:				
Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron				

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	18 of 68
		Author:	Peron/Emerson

2.2.2 WHU-013 Calibration Cascade Diagram

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Х

RI No:	WHU-13	
Review Item	Calibration cascade	
Document Title:	VISTA DFS Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

A calibration cascade, a kind of diagram should be given to show how the recipes are called and how the calibrations are associated among each other and on with respect to the science frames. See E.g.

<u>www.eso.org/qc/UVES/pipeline/cal_scheme.html</u> www.eso.org/qc/GIRAFFE/pipeline/cal_scheme.html www.eso.org/qc/ISAAC/cal_scheme.html

Action Recommended by Initiator:

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)			
Major Minor X Withdrawn			
Date/Signature Chairperson:	13/05/04 Jim Emerson & +Mi	chele Peron	

Actionee Corrective Action: We will construct something along these lines for FDR.

See Also 2.3.3 (PBA-015)

Date/Signature Actionee: M. Irwin 04/05/2004

Board Disposition: Proposed action accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	19 of 68
		Author:	Peron/Emerson

2.2.3 MPE-009 Ensembles of FITS Files

PDR VISTA DFS



Clarification

Discrepancy

RI No:	MPE-009
Review Item	Page 10
Document Title:	VISTA Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	

Discrepancy/Clarification Required/Observation:

Last paragraph: the DFS pipeline handles set of files coming from one template (and not from an Observation Block) as an ensemble. The template information (TPL and DPR) keywords are used for that purpose and for choosing the appropriate pipeline recipe.

Action Recommended by Initiator:

rephrase

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

Major

Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

Reworded last sentence to "The content of the FITS headers allow the DFS pipeline to handle the set of observed files as an ensemble, and..."

Date/Signature Actionee: M. Irwin 27/04/2004

Board Disposition: Proposed rewording accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F •	Issue:	0.8
DIDIEN		Page:	20 of 68
		Author:	Peron/Emerson

2.2.4 FCT-001 Ensembles of FITS files

Review Title:

VISTA Data Flow System

Review Item Discrepancy X Observation

RI No:	FCT-001	
Review Item	P10 section 2 last paragraph	
Document Title:	ent Title: VISTA Infra Red Camera Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

Section 2, last paragraph: DFS pipeline handling the set of observed files from the OB as an ensemble: this is a departure from current DFS pipeline procedures that act on templates, not OBs.

Action Recommended by Initiator:

Confirm the need for pipeline processing done at the level of OBs

Date/Signature of Initiator: 28 April 2003, F. Comerón

RI Classification: (to be completed by Board Chairperson)

Major	Minor	Х	Withdrawn
Date/Signature Chairperson:	13/05/04 Jim	Emerson	& Michele Peron

Actionee Corrective Action: Please see response to 2.2.3 (MPE-009).

Date/Signature Actionee: P. Bunclark 29/04/2004

Board Disposition: Covered by disposition of 2.2.3 (MPE-009).

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	21 of 68
		Author:	Peron/Emerson

2.2.5 MPE-010 Quality Control Measures

PDR VISTA DFS

Review Item

Clarification X Observation

Discrepancy

RI No:	MPE-010
Review Item	Page 12
Document Title:	VISTA Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	

Discrepancy/Clarification Required/Observation:

Section 3.1.2

We call those parameters "quality control" (and not data quality measures) as they are used to measure not only the quality of the observations but also the observational performance of the instruments

Action Recommended by Initiator:

rephrase

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

Major

Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Rephrased to "iv. Those that generate Quality Control Measures."

Date/Signature Actionee: P. Bunclark 27/04/2004

Board Disposition: Proposed rephrasing accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	- 1	Issue:	0.8
DIDIEN		Page:	22 of 68
		Author:	Peron/Emerson

2.2.6 PBA-004 Clarify Overheads on Duration

Review Title:

PDR VISTA DFS

Review Item

Discrepancy X Clarification Observation

RI No:	PBA-004
Review Item	Page 13
Document Title:	VISTA IR Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

It is not clear whether the duration takes into account the total time of the procedure for all detectors including overheads (see also comment PBA-006)

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

Added the words 'including overheads' after the word 'procedure'.

[PBA-006 in Discrepancy should be [PBA-005].

Date/Signature Actionee: J. Lewis 04/05/2004

Board Disposition: Proposed addition accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	23 of 68
		Author:	Peron/Emerson

2.2.7 PBA-005 Duration Clarification

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Χ

RI No: PBA-005		
Review Item	Page 14 and 19	
Document Title:VISTA IR Camera Calibration Plan		
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator: Peter Bunclark		

Discrepancy/Clarification Required/Observation: The duration 1s in Section 4.2 obviously does not include overheads. Is the time of 10 min. in Section 4.9 meant for all detectors?

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinorXWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

4.2: 1s is indeed the exposure time without overhead. This will be corrected for FDR. Comment: 10 seconds would be a more realistic estimate for the duration for a single exposure including overheads. Although the detectors take 1 second to read out, the IRACE system is specified to read out and process an exposure within 5 seconds and to allow the next exposure to start within 10 seconds.

4.9: The duration of 10 minutes is meant for all detectors, although if the decay time constant turns out to be significantly more than about a half a minute, then this may be something of an underestimate.

Date/Signature Actionee: J. Lewis 04/05/2004, J. Emerson 06/05/2004

Board Disposition: Proposed corrections agreed.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	24 of 68
		Author:	Peron/Emerson

2.2.8 WHU-007 Functionality versus Completeness of Frames

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	WHU-07	
Review Item	Page 15-15 of 50	
Document Title:	VISTA DFS Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation: The recipes (4.2) Reset Frames, (4.3) Dark Frames (4.4) Dome flats and others work per array, the (4.7) twflats and (4.10) cross-talk require the complete pawprint of frames. Action Recommended by Initiator: It should made clear which recipe requires all 16 arrays functional and which recipes are independent on that. Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO **RI Classification:** (to be completed by Board Chairperson) Maior X Minor Withdrawn Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron Actionee Corrective Action: It is a requirement ([RD1] section 3.4) that no recipes require all 16 arrays functional. Non-working arrays are flagged by a FITS header keyword (DET_LIVE, [RD2] section 10.2). Comment on Observing strategy: In the event of a detector failure we can change our observing strategy and observe more than one tile at each field centre - for example cover each field centre with two tiles observed with the rotator rotated by 180 degrees. This strategy doesn't change the procedures and recipes for observing and processing the individual pawprints (nor even changes the procedure for combining the pawprints into tiles). Date/Signature Actionee: M. Irwin, P. Bunclark 04/05/2004, S. Beard, J. Emerson 06/05 **Board Disposition:** By FDR include in User Requirements Document (or other appropriate document) an Operational Strategy for observing during times when part of the system has failed (e.g. dead science detector/(s), failed LOWFs CCD, etc) pending the failure(s) being fixed. **RI Closed: RI** Closed with Actions: ✓ Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	25 of 68
		Author:	Peron/Emerson

2.2.9 WHU-002 Lamp efficiency and saturation

Review Title:

PDR VISTA DFS

Review Item

Clarification X Observation

Discrepancy

RI No:	WHU-02	
Review Item	Page 15 of 50	
Document Title:	VISTA DFS Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

Quality control parameters do not only monitor the instrumental effects to be removed by the pipeline, but also characteristics of instrumental components.

Action Recommended by Initiator:

To monitor the aging of the lamp the efficiency of the lamp should be returned by the recipe. In addition, justified by operational experience, the number of saturated pixels should be returned (generally for all calibration frames, where a lamp is the illumination source).

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Seems like a good idea and straightforward to implement. We will add some text to this effect.

Date/Signature Actionee: M. Irwin 05/05/2004

Board Disposition: Proposed action accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	T T T T T	Issue:	0.8
		Page:	26 of 68
		Author:	Peron/Emerson

2.2.10 WHU-004 Cancel Detector Noise Recipe

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	WHU-04	
Review Item	Page 16 of 50	
Document Title:	VISTA DFS Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

4.5 Detector Noise.

This section is on calibrations for instrumental signature removal, but the detector noise and the gain are just qc parameters. The dark frames to be used for data reduction are given in subsection 4.3 already.

Action Recommended by Initiator:

I recommend to calculate the gain by the dome flat recipe (4.4) and to calculate the detector noise by the dark recipe (4.3) and cancel the detector noise recipe 4.5

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Clarification: section 4.5 is specific to measuring the detector gain and readout noise, whereas sections 4.3 & 4.4 are measuring different aspects of the detector performance. Detector noise is also *not* just a QC parameter but is a vital piece of information when doing image combinations with rejection.

Date/Signature Actionee: M. Irwin 04/04/2004

Board Disposition:

Look for ways to rationalise the required templates and recipes, considering efficiency issues from an operational point of view. [example: wWhere possible apply multiple recipes to same template to minimise number of templates that need to be executed, and look generally at efficiency issues from an operational point of view – (e.g. running 2 recipes on same template rather than template for each recipe).]

RI Closed:

RI Closed with Actions: \boldsymbol{X}

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	27 of 68
		Author:	Peron/Emerson

2.2.11 FCT-004 Dark/Dome Exposures

Review Title:

VISTA Data Flow System

DiscrepancyReview ItemClarificationXObservation

RI No:	FCT-004
Review Item	p16
Document Title:	VISTA Infra Red Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Section 4.5: why should a dark exposure be taken with the same dome illumination as the dome flats?

Action Recommended by Initiator:

Confirm that this is really what is meant

Date/Signature of Initiator: 28 April 2003, F. Comerón

RI Classification: (to be completed by Board Chairperson)

Major

Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: This is a typographical error. Changed "and should be observed with the same dome illumination." to "and both dome flat frames should be observed with the same dome illumination."

Date/Signature Actionee: P. Bunclark 30/04/2004

Board Disposition: Proposed change accepted

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F •	Issue:	0.8
DIDIEN		Page:	28 of 68
		Author:	Peron/Emerson

2.2.12 PBA-006 Confidence Map

Review Title:

PDR VISTA DFS

Review Item X

Discrepancy Clarification Observation

RI No:	PBA-006	
Review Item	Page 17	
Document Title:	VISTA IR Camera Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

What is the maximum possible value in a confidence map? If one wants to use variance Propagation does it not make more sense to use directly a variance map?

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: A confidence map is closely related to, but more general than, a conventional variance map in that is encodes a normalised inverse variance map, an exposure map and a bad pixel map.

Maximum possible value is 32767. Negative values are reserved for future upgrades.

Date/Signature Actionee:

 Board Disposition:

 Clarification accepted. Please expand text to reflect the answer given.

 Note: The background variance is stored in the header, and clarification of this should be made in the text.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	29 of 68
		Author:	Peron/Emerson

2.2.13 PBA-007 Standards Template

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

X

RI No:	PBA-007
Review Item	Page 21
Document Title:	VISTA IR Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

For other instruments e.g. ISAAC the observation of photometry standards is performed by a different template than the science observations. This way the pipeline can invoke the appropriate processing, selection of stars in a catalogue and generation of zeropoints.

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorXMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: 2MASS can be used as a first-order calibration for every field, but we will also want to make specific observations of photometric standard fields for a more accurate determination. We do not see the need for a separate template for this since the FITS header keywords (e.g. OBJECT, IMAGETYP, and TARGNAME) contain the information to let the pipeline know which observations are of photometric standard fields.

Date/Signature Actionee: M. Irwin 05/05/2004

Board Disposition: Implement Calibration standards in a separate template.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	30 of 68
		Author:	Peron/Emerson

2.2.14 PBA-008 Processing Context

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Х

RI No:	PBA-008
Review Item	Page 22
Document Title:	VISTA IR Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Section 5.3 does not describe a template but a lower-level processing step of the science reduction recipe (see also PBA-011 and PBA-012)

Action Recommended by Initiator:

This item should be moved to document VIS-SPE-IOA-20000-0003

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: We will put this in Data reduction Spec as requested. However, being part of the required overall calibration procedures we propose to retain it in the Calibration Plan.

Date/Signature Actionee: M. Irwin, P. Bunclark 04/05/2004

Board Disposition: Proposed change accepted

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
DIDIEN		Page:	31 of 68
		Author:	Peron/Emerson

2.2.15 PBA-010 Flat Combine Context

Review Title:

PDR VISTA DFS

Review Item

X Discrepancy Clarification Observation

RI No:	PBA-010
Review Item	Page 23
Document Title:	VISTA IR Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Sections 6.1.1 and 6.1.2 describe the processing steps vircam_sky_flat_combine and vircam_offset_sky_combine which are called by the science reduction recipe (is it vircam_jitter_calibrate). They do not correspond to independent calibration templates. (see also PBA-009 and PBA-012)

Action Recommended by Initiator:

This item should be moved to document VIS-SPE-IOA-20000-0003

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major X	Minor	Withdrawn
Date/Signature Chairperson	h: 13/05/04 Jim En	nerson & Michele Peron

Actionee Corrective Action:

We will put this in Data reduction Spec as requested.

However being part of the required overall calibration procedures we propose to retain them in the Calibration Plan.

Comment: Although they don't correspond to unique observing templates, they are associated with whatever observing template is being used for the given science observations. Our interpretation of the 'calibration plan' was that it should cover all areas of calibration and not just those that require special observations.

Date/Signature Actionee: J. Lewis 04/05/2005

Board Disposition: Proposed change accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	32 of 68
		Author:	Peron/Emerson

2.2.16 SCA-001 Creation of Night-Sky Flats

Review Title:

PDR VISTA DFS

Review Item

Discrepancy
X Clarification
Observation

RI No:	SCA-001
Review Item	Page 23
document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Can you please explain if the Night-Sly Flats will be created from any special science frames (which will have been jittered as required to remove fringing)? If yes, then will these special science frames be taken in a different template? In page 23, 6.1.1, it reads "Duration: Occurs in parallel with all night observing".

Action Recommended by Initiator:

Add requested clarification on text.

Date/Signature of Initiator: 29.04.2004, Sandra Castro

RI Classification: (to be completed by Board Chairperson)

MajorMinorXWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Night sky flats are created either (1) from the science data themselves or (2) from offset sky exposures. Jittering is not for removal of fringing, but rather allows for the removal of astronomical objects during the combination stage so that one ends up with a good map of the sky. As such, no special template is required.

Date/Signature Actionee: J. Lewis 04/05/2005

Board Disposition: Clarification accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
DIDIEN		Page:	33 of 68
		Author:	Peron/Emerson

2.2.17 PBA-009 Offset Sky Frames into Template

Review Title:

PDR VISTA DFS

DiscrepancyReview ItemClarificationXObservation

RI No:PBA-009Review ItemPage 23document Title:VISTA IR Camera Calibration PlanDocument No:VIS-SPE-IOA-20000-0002Document Originator:Peter Bunclark

Discrepancy/Clarification Required/Observation:

If the night-sky flats are acquired on a different field (e.g. when there is an extended source) the offsets have to be part of the same template for the pipeline to process them with the science data.

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: This would make the templates unnecessarily complicated, and the observing efficiency would be reduced because every field would require its own second field. See Also 2.2.16, the response to SCA-001. However, we will further consider this point, and the science implications, by FDR.

Date/Signature Actionee: M. Stewart 05/05/2004

Board Disposition:

Implement offset fields in same template as science fields, as otherwise they cannot be associated in the pipeline.

Look into the ISAAC templates in order to find common grounds, if possible.

RI Closed: RI Closed with Actions: X

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
BIBIENI		Page:	34 of 68
		Author:	Peron/Emerson

2.2.18 WHU-012 Calibration Cascade Operational Limitations

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	WHU-12
Review Item	6.1.1 Night Sky Flats
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

The first sentence: 'In the situation where the detector flat-field is not stable over the course of the night, we will use night-sky flats'. This is operationally misleading. The calibration cascade is executed via association rules that are fixed after they have been configured. There is a possibility to say: run the recipe with master_calib_A or without master_calib_A. But this is not possible: if there is no night_flat, take a twflat.

Action Recommended by Initiator:

Take these operational constraints into account.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

Major	Minor X	Withdrawn
Date/Signature Chairperson:	13/05/04 Jim Emerson	& Michele Peron

Actionee Corrective Action: The point here is that if the flat field of the detectors is not stable with time, as determined by commissioning and general experience with the detectors, then twilight nightsky flats are the next best option. This does not imply that we are making decisions on the fly about how we take calibration data. But rather that, if it seems that twilight flats are not an option, we will use the observations themselves to do the gain corrections. Perhaps we can solve this by rewording the first sentence as: "If experience shows that the detector flat fields are not reliably stable over the timescale of a night, then we will have to use night-sky flats instead".

Date/Signature Actionee: J. Lewis 04/05/2005

Board Disposition:

Proposed rewording accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	Ĩ	Issue:	0.8
DIDIEN		Page:	35 of 68
		Author:	Peron/Emerson

2.2.19 SCA-002 When to use Offset-Sky Exposures

Review Title:

PDR VISTA DFS

Review Item

Discrepancy X Clarification Observation

RI No:	SCA-002
Review Item	Page 24
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

How will the DFS pipeline decide whether there is an extended object in the field or not, in order to apply the 'offset sky' exposures, as mentioned in 6.1.2?

Action Recommended by Initiator:

Add requested clarification on text.

Date/Signature of Initiator: 29.04.2004 Sandra Castro

RI Classification: (to be completed by Board Chairperson)

Major	Minor	Х	Withdrawn
Date/Signature Chairperson:	13/05/04 Jin	m Emerson &	& Michele Peron

Actionee Corrective Action: If offset skies are required they have to be included at the planning stage and included in the OBs. The pipeline does not decide if offset skies are needed.

See Also: answer to 2.2.17 (PBA-009)

Date/Signature Actionee: M. Irwin 05/05/2004

Board Disposition: Clarification accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	36 of 68
		Author:	Peron/Emerson

2.2.20 PBA-011 Reductions Context

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

X

RI No:	PBA-011
Review Item	Pages 26 and 27
Document Title:	VISTA IR Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

As in previous comments PBA-009 and PBA-011, the Sections 6.2.1 and 6.2.2 and 7.1.1 describe lower-level processing steps invoked by the science reduction recipe.

Action Recommended by Initiator:

These items should be moved to document VIS-SPE-IOA-20000-0003

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: We will put these in Data reduction Spec as requested. However being part of the required overall calibration procedures we propose to retain them in the Calibration Plan.

Date/Signature Actionee: M. Irwin 04/05/2004

Board Disposition: Proposed change accepted

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	37 of 68
		Author:	Peron/Emerson

2.2.21 MPE-011 QC-0 Operation

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	MPE-011
Review Item	Page 27
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	

Discrepancy/Clarification Required/Observation: Paragraph 7.2: QC0 (as defined for the VLT) is not done by the Control Software but at a later stage (i.e. in Paranal and in Garching by the data Flow Operations Group). All frames, even the ones which do not go through QC0, go through the on-line pipeline. QC0 verifies that the Observations have been done under the conditions specified by the user (e.g. airmass, seeing, etc) **Action Recommended by Initiator:** rephrase **Date/Signature of Initiator: RI Classification:** (to be completed by Board Chairperson) Minor X Withdrawn Major Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron **Actionee Corrective Action**: Rephrased to: "QC-0 is generic for all VLT-compliant instruments and is provided by the Data-Flow Operations Group." Comment: The data pipeline will only receive data that has been checked by the camera software for internal self-consistency (i.e. the quantity of data is as stated in the FITS header and all the templates specified in an OB have been completed without any fatal errors). We had initially thought this initial verification process was QC0, but will in future refer to it internally as QC"-"1 (QC minus one). Date/Signature Actionee: P. Bunclark 27/04/2004 **Board Disposition:** Rephrasing accepted but please do not introduce new QC terminology, as last sentence suggests. **RI Closed: X RI** Closed with Actions: Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	38 of 68
		Author:	Peron/Emerson

2.2.22 WHU-009 Clarify Reference Frame

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Χ

RI No:	WHU-09
Review Item	Page 28 of 50
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

The purpose of the reference frames is not well described and is maybe misleading.

Action Recommended by Initiator:

The reference frames make sense e.g. as fixed pattern noise templates in twflat/dome recipes to isolate structures beyond the fixed pattern noise of the current flat. There can be well QC parameters describing the isolated structures taken from these reference frame corrected frames. It makes no sense to use reference frames as an offset value e.g. in the reset frame recipe. This implies that the recipe itself evaluates the QC parameter. Trending and evaluation still requires the expertise of the instrument scientists.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

We will need to discuss this at PDR because we do not understand what the issue is about. 'Reference frames' are not mentioned anywhere in the Calibration Plan (including p28) except in the context of astrometric calibration. Perhaps Reset Frames were meant?

Date/Signature Actionee: P. Bunclark 04/05/2004

Board Disposition: Reference frame referred to 'Most recent library frame'. Modify Section 7.3 to reflect fact that pipeline itself does not do trend analysis, but supplies measures on which trend analysis can be performed.

The suggestions for how to use these measures are most welcome.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	39 of 68
		Author:	Peron/Emerson

2.2.23 WHU-008 Quality Control not Trending

Review Title:

PDR VISTA DFS

Review Item

Discrepancy Clarification Observation

Х

RI No:	WHU-08
Review Item	Page 28 of 50
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

7.3 Trending analysis.

Action Recommended by Initiator:

I propose to rename this section simply to quality control parameters. Trending is something that happens outside the pipeline.

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Please see response to 2.2.24 MPE-012.

Date/Signature Actionee:

Board Disposition: Rewording proposed there accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	40 of 68
		Author:	Peron/Emerson

2.2.24 MPE-012 Trend Analysis

PDR VISTA DFS

Review Item

Clarification X Observation

Discrepancy

RI No:	MPE-012
Review Item	Page 28, section 7.3
Document Title:	VISTA Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	

Discrepancy/Clarification Required/Observation : Trend analysis is not part of the pipeline processing. Pipeline recipes do generate Quality Control parameters but do not compare them with older ones.			
Action Recommende rephrase	d by Initiator:		
Date/Signature of Ini	tiator:		
RI Classification: (to	be completed by Board Chair	person)	
Major	Minor X	Withdrawn	
Date/Signature Chai	rperson: 13/05/04 Jim Emerso	on & Michele Peron	
Actionee Corrective Action:Rephrased heading and added sentence:"7.3 Quality Control Parameters and Trend AnalysisQuality Control Parameters are generated during pipeline processing. These may be used at a later time for trend analysis."			
Date/Signature Actionee: P. Bunclark 27/04/2004			
Board Disposition: Rewording accepted			
RI Closed: X RI Closed with Actio			
Date/Signature Chai	rperson: 13/05/04 Jim Emerso	on & Michele Peron	

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	41 of 68
		Author:	Peron/Emerson

2.2.25 WHU-003 Table typo

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Х

RI No:	WHU-03
Review Item	Page 29 of 50
Document Title:	VISTA DFS Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: Item 4.2, the first row in this table appears a second time. This is a typo. Action Recommended by Initiator: Please remove it. Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO **RI Classification:** (to be completed by Board Chairperson) Х Major Minor Withdrawn Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron **Actionee Corrective Action**: Corrected as requested. Date/Signature Actionee: P. Bunclark 04/04/2004 **Board Disposition:** Understood. **RI Closed:** X **RI Closed with Actions:** Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	42 of 68
		Author:	Peron/Emerson

2.2.26 WHU-005 Acquire HOWFS Dome Screen

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Discrepancy

Χ

RI No:	WHU-05	
Review Item	Page 32 of 50	
Document Title:	rument Title: VISTA DFS Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation: Section 8.1.2.1 certainly means 'Acquire HOWFS Dome Screen'

Action Recommended by Initiator: Please correct

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Section header will be changed to: "8.1.2.1 HOWFS Acquire Dome Screen"

Date/Signature Actionee: P. Bunclark 06/05/2004

Board Disposition: Proposed change accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	ľ	Issue:	0.8
		Page:	43 of 68
		Author:	Peron/Emerson

2.2.27 FCT-005 Location of Offset Pattern Definitions

Review Title:

VISTA Data Flow System

Review Item

Discrepancy Clarification Observation

Х

RI No:	FCT-005	
Review Item	p32	
Document Title:	VISTA Infra Red Camera Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarific	ation Required/Observation:		
Section 8.2.1.2.1 (and elsewhere in the same document): the definition of offset patterns in			
the acquisition templa	the acquisition template is possible but unusual; such definition is normally done within the		
obs templates in oth	ner VLT instruments. It might i	reduce flexibility in OBs containing	
observations in two di	fferent filters for which differe	ent offset patterns may be desired.	
Action Recommende			
Reconsider whether su	uch definition should rather be	moved to the _obs_ templates.	
Date/Signature of In	itiator: 28 April 2003, F. Com	erón	
RI Classification: (to	be completed by Board Chair	person)	
Major X	Minor	Withdrawn	
Date/Signature Chai	rperson: 13/05/04 Jim Emerso	on & Michele Peron	
Actionee Corrective	Action:		
The offset pattern is	The offset pattern is specified in the acquisition template rather than the observation		
template because, for	template because, for an example case of a "tile" observation (acquired with		
VIRCAM_img_acq_tile and observed with one of the VIRCAM_img_obs_tile templates),			
the acquisition template needs to specify the 6 sets of [1 guide star + 2 LOWFS stars]			
required for each of the offsets. The offset pattern describes the telescope movements needed			
to acquire these guide stars, and it seemed natural to keep this information together within the			
acquisition template.			
However, we are currently uncertain as to where the information about the telescope offset			
pattern and the guide	and LOWFS stars is best specifi	fied, and this is a matter that Steven	
Beard was planning to	o discuss with Peter Bierechel a	after the PDR. We would therefore be	
grateful for any advice	e in this matter from those mor	e familiar with ESO-VLT templates than	
ourselves.			
The templates allow mixing and matching filters in any specified patterns, if this is required			

The templates allow mixing and matching filters in any specified patterns, if this is required. **Date/Signature Actionee**: J. Emerson 30/04/2004

Board Disposition:

Consider writing offsets and guide stars in a .paf file which can be read by P2PP, as other instrument preparation tools do.

Consider what should happen if one or more of the guide stars are bad.

RI Closed: RI Closed with Actions: X

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	45 of 68
		Author:	Peron/Emerson

2.2.28 MPE-013 LOWFS/P2PP

PDR VISTA DFS

Review Item



RI No:	MPE-013	
Review Item	Page 33, section 8.2.1.1.1	
Document Title: VISTA DFS Calibration Plan		
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:		

Discrepancy/Clarification Re	Discrepancy/Clarification Required/Observation:			
		PP"? P2PP does not search for e.g. gui	ide	
stars, it gets them as parameter	•	0.0		
Action Recommended by Ini	tiator: clarify			
Date/Signature of Initiator:	-			
RI Classification: (to be comp	pleted by Board Cha	irperson)		
Major	Minor X	Withdrawn		
Date/Signature Chairperson:	: 13/05/04 Jim Emer	rson & Michele Peron		
Actionee Corrective Action:				
		as for guide stars. The wording "found	l by	
P2PP" will be corrected to "fro				
		sustaining an exposure every 10 second	nds	
		s of "pawprint" exposures at different		
· · · ·	e	to be acquired every 20 seconds. The u		
		choosing a guide star "on the fly" wit	h	
	*	quire too much intervention from the		
		fter the VST). For this reason we chose		
specify all guide and LOWFS stars in advance and define them in the Observation Block.				
A tool/utility for selecting sets of guide and LOWFS stars, given the position constraints				
imposed by the instrument, will be needed, however it is related to P2PP. This will be				
included in 'possible impact on P2PP and preparation tools' section of the DFS User				
requirements for FDR (see answer to RIO MPE-002). We would also like to learn how other ESO instruments may have dealt with similar requirements.				
Date/Signature Actionees: S. Beard 30/04/04				
See Also: FCT-002 LOWFS/P2PP,				
FCT 003 LOWFS/P2PP				
FCT 003 LOWFS/P2PP				
Board Disposition:				
Covered by 2.1.2 see also 2.2.27				
RI Closed: X				
RI Closed with Actions:				
Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron				

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
BIBIENI		Page:	46 of 68
		Author:	Peron/Emerson

2.2.29 FCT-002 LOWFS/P2PP

Review Title:

VISTA Data Flow System

DiscrepancyReview ItemClarificationXObservation

RI No:	FCT-002
Review Item	p33
Document Title:	VISTA Infra Red Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Section 8.2.1.1.1, LOWFS stars found by P2PP

Action Recommended by Initiator:

Clarify what is meant by P2PP identifying LOWFS stars. This is well outside current functionality of P2PP and seems closer to guide camera functions

Date/Signature of Initiator: 28 April 2003, F. Comerón **RI Classification:** (to be completed by Board Chairperson)

Major

Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

Same reply as for 2.2.28 (MPE-013)

Date/Signature Actionee: S. Beard 30/04/2004

See Also: MPE-013 LOWFS/P2PP, FCT 003 LOWFS/P2PP FCT 003 LOWFS/P2PP

Board Disposition: Response agreed.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	47 of 68
		Author:	Peron/Emerson

2.2.30 PBA-012 Section Header Typo

Review Title:

PDR VISTA DFS

Review Item

] Discrepancy] Clarification] Observation

Χ

RI No:	PBA-012	
Review Item	Pages 38	
Document Title: VISTA IR Camera Calibration Plan		
Document No:	No: VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

A Section header is probably missing: 8.2.1.3 (Observe Offsets?). Accordingly the Sections 8.2.1.2.5 and 8.2.1.2.6 should be numbered 8.2.1.3.1 and 8.2.1.3.2

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Section 8.2.1.2 is intended to contain two different acquisition templates. We feel Acquire_Offsets & Observe_Offsets belong in this section as this is one way to 'Observe a set of Pawprints' (8.2.1.2). We believe that it is necessary to allow for other sets of offsets than those provided as the basic ones. WHU-006 (2.3.4)

suggests this mode should not be supported. We should discuss this at PDR.

Date/Signature Actionee: J. Emerson 05/05/2004

Board Disposition: Add new section header as suggested

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
DIDIEN		Page:	48 of 68
		Author:	Peron/Emerson

2.2.31 FCT 003 LOWFS/P2PP

Review Title:

VISTA Data Flow System

DiscrepancyReview ItemClarificationXObservation

RI No:	FCT-003
Review Item	p39
Document Title:	VISTA Infra Red Camera Calibration Plan
Document No:	VIS-SPE-IOA-20000-0002
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: Section 8.2.1.2.5: same as RI No. 2

Action Recommended by Initiator: Same as for RI No. 2

Date/Signature of Initiator: 28 April 2003, F. Comerón

RI Classification: (to be completed by Board Chairperson)

Major

Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Same reply as for 2.2.28 (MPE-013)

Date/Signature Actionee: S. Beard 30/04/2004

See Also: 2.2.28 MPE-013

Board Disposition: Covered by 2.1.2 see also 2.2.27

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F •	Issue:	0.8
		Page:	49 of 68
		Author:	Peron/Emerson

2.2.32 PBA-013 Recipe Reference

Review Title:

PDR VISTA DFS

Review Item X

Discrepancy Clarification Observation

RI No:	PBA-013	
Review Item	Page 40	
Document Title:	VISTA IR Camera Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

In "Pipeline recipes: as for pawprints", introduce an explicit reference to Section 8.2.1.1.2

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinorXWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

"as for pawprints" will be replaced with vircam_microstep_interleave, vircam_jitter_combine

Date/Signature Actionee: P. Bunclark 04/05/2004

Board Disposition: Proposed change accepted

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	50 of 68
		Author:	Peron/Emerson

2.2.33 AKA-001 Standard Field Coverage

Review Title:

PDR VISTA DFS

Review Item

Discrepancy
Clarification
X Observation

RI No:	AKA-001	
Review Item	Secondary Standard Fields	
Document Title:	VISTA IR Camera Calibration Plan	
Document No:	VIS-SPE-IOA-20000-0002	
Document Originator:	Peter Bunclark	

Discrepancy/Clarification Required/Observation:

From the distribution of the standard star fields in Fig. 9-1, a sparse coverage of the RA space towards the South is observed. The dominant wind direction for high winds in Paranal is from the North. If the VISTA telescope (like the VLT) will not allow to observe into the direction of the high winds, the lack of suited standard star fields towards the south might prevent the proper calibration of the science data.

Action Recommended by Initiator:

Investigate if it is possible to have a better distribution in RA and a larger number of southern standard star fields.

Date/Signature of Initiator: 03.05.2004, Andreas Kaufer

RI Classification: (to be completed by Board Chairperson)

MajorMinorXWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Additional fields have been identified to the South for the reasons suggested and to minimize azimuth slew overheads. More will be identified before FDR/commissioning.

Date/Signature Actionee: S. Hodgkin 05/05/2004

Board Disposition: Clarification accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	r	Issue:	0.8
		Page:	51 of 68
		Author:	Peron/Emerson

2.3 Review Items referring to the Data Reduction Specification [RD3].

4	Discrepancies
2	Clarifications
3	Observations
9	Total

Table 2-3 RIx Count for User Requirements

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
BIBIENI		Page:	52 of 68
		Author:	Peron/Emerson

2.3.1 PBA-014 Missing Recipes

Review Title:

PDR VISTA DFS

XDiscrepancyReview ItemClarificationObservation

RI No:	PBA-014
Review Item	All
Document Title:	VISTA IR Camera Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

A description of the recipes vircam_jitter_calibrate and vircam_microstep_calibrate is missing.

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: This is a typo in the Calibration Plan. The two references in pp 36-37 to vircam_jitter_calibrate and vircam_microstep_calibrate should have been removed as they were renamed 'vircam_jitter_combine' and 'vircam_microstep_interleave'.

Date/Signature Actionee: J. Lewis 04/05/2004

Board Disposition: Explanation accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	53 of 68
		Author:	Peron/Emerson

2.3.2 MPE-001 ETC

Review Title:

PDR VISTA DFS

Review Item

Discrepancy Clarification Observation

Х

RI No:	MPE-001
Review Item	
Document Title:	ALL (case of Data Reduction Specifications)
Document No:	
Document Originator:	

Discrepancy/Clarification Required/Observation:

I am missing in the documentation the v0.5 of the Exposure Time Calculator specifications

Action Recommended by Initiator:

Add requested information

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

Specification will be added to the Data Reduction Specification.

Comment: We wish to discuss where in the Reduction Specification ETC should be covered.

Date/Signature Actionee: Jim Emerson 28/04/04

Board Disposition: See disposition of 2.1.1 MPE-001

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F •	Issue:	0.8
		Page:	54 of 68
		Author:	Peron/Emerson

2.3.3 PBA-015 Recipe Hierarchy and Diagram

Review Title:

PDR VISTA DFS

Review Item

Discrepancy Clarification Observation

Х

RI No:	PBA-015
Review Item	All
Document Title:	VISTA IR Camera Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

Main science reduction recipes should be identified for each mode (or a single main science reduction recipe if that is possible). This recipe(s) would call vircam_microstep_interleave and vircam_microstep_jitter and the corresponding calibration recipes as needed. Diagrams should be provided in the document to show how the lower-level recipes are called by the main reduction recipe(s).

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)Major XMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

We will identify recipes for FDR. We will add diagrams for FDR as envisaged in response to 2.2.2(WHU-013) Calibration Cascade Diagram

Date/Signature Actionee: P. Bunclark 06/05/2004

Board Disposition:

Proposed action accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	55 of 68
		Author:	Peron/Emerson

2.3.4 WHU-006 Include Tile Recipe

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	WHU-06
Review Item	Page 7 of 18
Document Title:	VISTA DFS Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

'The pipeline does not combine pawprints into tiles'

Action Recommended by Initiator:

I propose to include this numerical part in the pipeline, making complete tiles out of a pawprints. It would be enough to support only pawprints taken with the Observe Tile template, which provides a fixed pattern of offsets. The Observe_Offset template does not need to be supported. Apart from aesthetic advantages of having a single tile product per filter, there are also practical reasons. As far as I understand, the tile recipe would handle pawprints for which instrumental signatures are already removed; hence no VISTA specific algorithms would have to be developed. The core part of the tile recipe is a standard geometric conversion algorithm. (minor work, big advantages)

Date/Signature of Initiator: 2004-04-29, W. Hummel, DFO

RI Classification: (to be completed by Board Chairperson) Minor X

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: We decided to stop at pawprints because:

- **a.** They are the subunits from which mosaics or stacks are made, and final combination is best done from this stage;
- **b.** Individually they are relatively small (tiles ~ 16×6 times bigger than detectors) units to handle;
- **c.** Tiles can be created (to selective prescription) on-the-fly from archival pawprints;
- **d.** Tiles do not contribute directly to QC or calibration;
- e. It had been previously agreed with ESO that we would stop at this point.

Date/Signature Actionee: J. Emerson, M. Irwin 05/05/2004

Board Disposition:

Major

The arguments for keeping pawprints as the units produced by the pipeline are accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	56 of 68
		Author:	Peron/Emerson

2.3.5 MPE-014 References to Templates

PDR VISTA DFS

Review Item

Discrepancy
Clarification
X Observation

RI No:	MPE-014
Review Item	Section 3
Document Title:	VISTA Data reduction Specification
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	

Discrepancy/Clarification Required/Observation:

It would be nice to have for each recipe a reference to the corresponding template (as in the calibration plan).

Action Recommended by Initiator:

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Will cross-reference templates in issue 1.0

Date/Signature Actionee: P. Bunclark 27/04/2004

Board Disposition: Accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	57 of 68
		Author:	Peron/Emerson

2.3.6 PBA-016 Twilight and Sky Flat Recipe Equivalence

Review Title:

PDR VISTA DFS

DiscrepancyReview ItemXClarificationObservation

RI No:	PBA-016
Review Item	Page 12
Document Title:	VISTA IR Camera Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation:

In Sections 4.1.1 and 4.1.2 does the same recipe apply to twilight flats and night-sky flats?

Action Recommended by Initiator:

Please clarify

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action: Sky flats will probably have to be dealt with slightly differently from twilight flats. For example, tests will have to be inserted into the latter which will identify saturated and underexposed frames. This is why 4.1.1 (sky flats) is identified as a different recipe than 3.7 (twilight flats). 4.1.2 is a totally different thing. These are sky exposures that will be used to remove fringing and thermal emission, which is an additive correction.

Date/Signature Actionee: J. Lewis 04/05/2005

Board Disposition: Clarification accepted.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	58 of 68
		Author:	Peron/Emerson

2.3.7 PBA-017 Recipe Name Discrepancy

Review Title:

PDR VISTA DFS

Review Item

Discrepancy

Clarification

Observation

RI No:	PBA-017
Review Item	Page 13
Document Title:	VISTA IR Camera Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: The recipe vircam_gen_catalogue (Section 7.1.1, page 27 of document VIS-SPE-IOA-20000-0002) is called here vircam_catalogue_gen.

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

MajorMinor XWithdrawnDate/Signature Chairperson: 13/05/04 Jim Emerson & Michele PeronActionee Corrective Action: Noted; we will make the naming self-consistent.

Date/Signature Actionee: P. Bunclark 04/05/2004

Board Disposition: Agreed

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	59 of 68
		Author:	Peron/Emerson

2.3.8 PBA-018 WCS and Tile Compression

Review Title:

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	PBA-018
Review Item	Page 17
Document Title:	VISTA IR Camera Data Reduction Specifications
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	Peter Bunclark

Discrepancy/Clarification Required/Observation: WCS interface and tile-compression are not currently supported and a solution shall be identifed at PDR.

Action Recommended by Initiator:

Date/Signature of Initiator: 29.04.2004, Pascal Ballester

RI Classification: (to be completed by Board Chairperson)

Major XMinorWithdrawnDate/Signature Chairperson:13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

We would like to discuss at PDR as suggested.

Date/Signature Actionee: P. Bunclark 04/05/2004

Board Disposition:

WCS: Lewis to send reference to WCSLIB to Ballester to see if WCSlib is adoptable by ESO.

Compression: ESO to consider whether to implement tile compression on line for pipeline (tile compression would reduce VISTA data volume by factor of ~4, and doesn't increase read/write time, compressed files are still FITS files)

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	T T T T T	Issue:	0.8
		Page:	60 of 68
		Author:	Peron/Emerson

2.3.9 MPE-015 Scripting Language/Runtime Environment

PDR VISTA DFS

Review Item

XDiscrepancyClarificationObservation

RI No:	MPE-015
Review Item	Page 17
Document Title:	VISTA Data reduction Specification
Document No:	VIS-SPE-IOA-20000-0003
Document Originator:	

Discrepancy/Clarification Required/Observat	ion:			
ESO will not provide an interface to a common s	scripting language			
Action Recommended by Initiator: rephrase				
Date/Signature of Initiator: 13/05/04 Jim Eme	rson & Michele Peron			
RI Classification: (to be completed by Board C	hairperson)			
Major X Minor	Withdrawn			
Date/Signature Chairperson:				
Actionee Corrective Action: Will rephras	se to:			
• File manipulation				
*	d grouping data files using information from			
their FITS headers.				
Comment: We would like to discuss the interface between the pipeline modules and the				
runtime environment.				
Date/Signature Actionee: M. Irwin 28/04/2004	L			
Board Disposition:				
Rephrasing agreed				
ESO to notify Jim Lewis when Gasgano etc avai				
VDFS team to consider adopting it for testing so				
ESO to send a typical software test plan docume	nt to Irwin to give idea of what is expected			
for VISTA.				
RI Closed:				
RI Closed with Actions: X				
Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron				

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	61 of 68
		Author:	Peron/Emerson

2.4 Review Items referring to the DFS Schedule [RD4].

2	Discrepancies
1	Clarification
2	Observations
5	Total

Table 2-4 RIx Count for User Requirements

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	62 of 68
		Author:	Peron/Emerson

2.4.1 MPE-005 ETC Delivery

PDR VISTA DFS

Review Item

X Discrepancy Clarification Observation

RI No:	MPE-005
Review Item	
Document Title:	VISTA DFS Schedule
Document No:	VIS-PLA-QMU-00001-0001
Document Originator:	

 Major X Minor Withdrawn Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron Actionee Corrective Action: We propose Nov 04 (for FDR) - ETC Specifications and Preliminary Design containing. Preliminary list of software server routines associated with each instrument template. Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. Date/Signature Actionee: J. Emerson 05/05/2004 	Date/Signature of Ini BI Classification: (to	be completed by Board Ch	airperson)
 Actionee Corrective Action: We propose Nov 04 (for FDR) - ETC Specifications and Preliminary Design containing. Preliminary list of software server routines associated with each instrument template. Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 		· ·	
 We propose Nov 04 (for FDR) - ETC Specifications and Preliminary Design containing. Preliminary list of software server routines associated with each instrument template. Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	Date/Signature Chain	rperson: 13/05/04 Jim Eme	erson & Michele Peron
 Nov 04 (for FDR) - ETC Specifications and Preliminary Design containing. Preliminary list of software server routines associated with each instrument template. Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	Actionee Corrective	Action:	
 Preliminary list of software server routines associated with each instrument template. Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 			
 Preliminary instrument models and equations for calculating exposure time for each instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 		•	
 instrument template (based on theoretical timings described in DFS User Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	•		L. L
 Requirements [RD1]). Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	•	1	0 1
 Dec 05 (for EII) - Final ETC Design Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 		- · ·	timings described in DFS User
 Final list of software server routines. Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 		/	
 Final equations (based now on instrument description and calibration database and instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	· · · ·	e	
 instrument performance and throughput measurements made during the camera AIT). Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 			
 Jul 06 (2m before CfP) - V1.0 of ETC V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 			
 V1.0 of software server routines Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	*	01	neasurements made during the camera AIT).
 Plus everything else mentioned in B.5 of VLT-SPE-ESO-19000-1618 [AD1]. Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 		•	
 Aug 06 (1m before CfP) - V1.1 of ETC including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 			
 including what has been learnt in further commissioning, but early enough to fix any big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 			VLT-SPE-ESO-19000-1618 [AD1].
 big changes from v1.0 before CFP Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	•	•	
 Nov 06 (1m after VC2) - V1.2 of ETC Including all commissioning results and subsequent experience, but early enough for Phase II preparation. 	e e		commissioning, but early enough to fix any
• Including all commissioning results and subsequent experience, but early enough for Phase II preparation.	6 6		
Phase II preparation.		-	ubsequent experience but early enough for
			ubsequent experience, but early enough for
			Λ

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	F	Issue:	0.8
		Page:	63 of 68
		Author:	Peron/Emerson

Board Disposition:

Make changes to schedule as discussed in PDR and submit revised schedule to Peron.

Send ESO updated schedule six monthly, 1 month before CfPs (i.e. submit by August 1 and February 1)

Data Interface Dictionary to be presented at FDR, and preliminary version sent to Peron by 1 Aug 2004 for review by DICB.

Peron to inform Emerson when new version of 1618 is released.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	r	Issue:	0.8
		Page:	64 of 68
		Author:	Peron/Emerson

2.4.2 MPE-008 Test Data

PDR VISTA DFS

Review Item

DiscrepancyXClarificationObservation

RI No:	MPE-008
Review Item	
Document Title:	VISTA DFS schedule
Document No:	VIS-PLA-QMU-00001-0001
Document Originator:	

Discrepancy/Clarification Required/Observation: The schedule foresees a delivery of the data reduction procedures before Preliminary Acceptance Europe. Will test data be part of the delivery? Action Recommended by Initiator:			
Date/Signature of Initiator:			
RI Classification: (to be com	pleted by Board	d Chairperson)	
Major	Minor	X	Withdrawn
Date/Signature Chairperson	: 13/05/04 Jim	Emerson & Mic	chele Peron
Actionee Corrective Action: Yes. From June 2005 onwards we should have a fully populated focal plane array installed in the cryostat so we should be able to provide quite a lot of multi-detector data by Sept 2005. Comment: We would like to discuss what test data is expected, e.g. are simulated on sky frames wanted? Date/Signature Actionee: Jim Emerson 28/04/04			
Board Disposition: Clarification accepted. WFCA <u>data for VISTA</u> . In general all procedure to allow testing of I	procedures sho	ould be accompa	rould probably be useful <u>as test</u> anied by data and results of
RI Closed: X RI Closed with Actions: Date/Signature Chairperson	: 13/05/04 Jim	Emerson & Mic	chele Peron

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
BIBIEN		Page:	65 of 68
		Author:	Peron/Emerson

2.4.3 PBA-001 ETC Schedule

Review Title:

PDR VISTA DFS

Review Item

Discrepancy Clarification Observation

X

RI No:	PBA-001
Review Item	Pages 4 and 5
Document Title:	VISTA IR Camera DFS Schedule
Document No:	VIS-PLA-QMU-00001-0001
Document Originator:	Jim Emerson

Discrepancy/Clarification Required/Observation		
As mentioned in Michele's comment (2.4.4 MPE-006) an instrument is not offered in a Call		
for Proposal before it has been tested on the sky. Th	e deliveries related to Exposure Time	
Calculators should therefore be organised in view of	f a Call for Proposal in September 2006.	
The data and version 1.0 of the ETC must be prepar	ed well in advance of the Call for	
Proposal; the version 1.1 is usually prepared for Pha	se II.	
Action Recommended by Initiator:		
Assuming that commissioning starts on July 7 and the	hat VISTA is offered in the	
Call for Proposal in September 2006, I propose the f	following ETC related schedule:	
Instrument Description Calibration Database v.0.5	in Dec. 2005	
ETC v.1.0	in May 2006	
Instrument Description Calibration Database v.1.0	in July 2006	
ETC v.1.1	in Dec. 2006	
Date/Signature of Initiator: 29.04.2004, Pascal Ba	allester	
RI Classification: (to be completed by Board Chair	person)	
Major X Minor	Withdrawn	
Major X Minor Date/Signature Chairperson: 13/05/04 Jim Emerson		
Date/Signature Chairperson: 13/05/04 Jim Emers	on & Michele Peron	
Date/Signature Chairperson: 13/05/04 Jim Emers	on & Michele Peron the CFP date to Sep 06. User Level	
Date/Signature Chairperson: 13/05/04 Jim Emerson Actionee Corrective Action: We will change	on & Michele Peron the CFP date to Sep 06. User Level	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep 0	on & Michele Peron the CFP date to Sep 06. User Level 06.	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (For ETC see answer to MPE-05 (2.4.1)	on & Michele Peron the CFP date to Sep 06. User Level 06.	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database were	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (0)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (0)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5Jul 06 (2m before CFP) v0.9 (commissioning has or	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (0)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5Jul 06 (2m before CFP) v0.9 (commissioning has orSep 06 (2w after VC1)v1.0 (update after ~2 month)	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (0)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5Jul 06 (2m before CFP) v0.9 (commissioning has orSep 06 (2w after VC1)v1.0 (update after ~2 monthOct 06 (after VC2)v1.1 (update after commission	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (10)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5Jul 06 (2m before CFP) v0.9 (commissioning has orSep 06 (2w after VC1)v1.0 (update after ~2 monthOct 06 (after VC2)v1.1 (update after commissionDate/Signature Actionee:J. Emerson 05/05/2004	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (1000000000000000000000000000000000000	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (1000000000000000000000000000000000000	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	
Date/Signature Chairperson: 13/05/04 Jim EmersonActionee Corrective Action:We will changeDescription of DFS correspondingly moves to Sep (0)For ETC see answer to MPE-05 (2.4.1)For Instrument Description Calibration Database weDec 05 (for EII)v0.5Jul 06 (2m before CFP) v0.9 (commissioning has orSep 06 (2w after VC1)v1.0 (update after ~2 monthOct 06 (after VC2)v1.1 (update after commissionDate/Signature Actionee:J. Emerson 05/05/2004Board Disposition:Accepted	on & Michele Peron the CFP date to Sep 06. User Level 06. e now propose hly just started) s commissioning)	

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM	_F	Issue:	0.8
		Page:	66 of 68
		Author:	Peron/Emerson

2.4.4 MPE-006 Call for Proposals

PDR VISTA DFS

Review Item

Clarification Observation

Χ

Discrepancy

RI No:	MPE-006
Review Item	
Document Title:	VISTA DFS Schedule
Document No:	VIS-PLA-QMU-00001-0001
Document Originator:	

Discrepancy/Clarification Required/Observation:

The schedule foresees that the call for proposals for VISTA takes place before the camera is integrated. The current policy at ESO has been to offer an instrument in the CfP only when it has been on the sky. Furthermore v1.0 of the ETCs cannot be ready before the instrument goes to the telescope.

Action Recommended by Initiator:

Date/Signature of Initiator:

RI Classification: (to be completed by Board Chairperson)**MajorMinor X**

Withdrawn

Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron

Actionee Corrective Action:

We will change the CFP date to Sep 06. Also see answers to MPE-05 (2.4.1) and PBA-001 (2.4.3).

Date/Signature Actionee: Jim Emerson 28/04/04

Board Disposition: Agreed.

VISTA	Infrared Camera PDR	Doc Number:	VIS-TRE-IOA-20000-0006
DATA FLOW	RID Responses	Date:	2004-09-02
SYSTEM		Issue:	0.8
		Page:	67 of 68
		Author:	Peron/Emerson

2.4.5 MPE-007 DR Modules Schedule

PDR VISTA DFS

Review Item

Clarification X Observation

Discrepancy

RI No:	MPE-007
Review Item	
Document Title:	VISTA DFS Schedule
Document No:	VIS-PLA-QMU-00001-0001
Document Originator:	

Discrepancy/Clarification Required/Observation:			
The schedule does not foresee any release of the Data reduction modules after Comm2. I would expect to get v1.x few weeks after Comm2.			
Action Recommended by Initiator:			
Date/Signature of Initiator:			
RI Classification: (to be completed by Board Chairperson)			
Major X Minor Withdrawn			
Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron			
Actionee Corrective Action:			
We will add to the schedule			
Sep 06 (1m after VC2) Template Signatures v1.1			
Sep 06 (1m after VC2) Data Reduction Procedures v1.1			
Sep 06 (1m after VC2) Data Interface Dictionary v1.1			
Date/Signature Actionee: Jim Emerson 05/5/2004			
Board Disposition:			
Agreed			
RI Closed: X			
RI Closed with Actions:			
Date/Signature Chairperson: 13/05/04 Jim Emerson & Michele Peron			

SYSTEM Issue: 0.8 Page: 68 of 68	VISTA DATA FLOW	Infrared Camera PDR RID Responses	Doc Number: Date: Issue:	VIS-TRE-IOA-20000-0006 2004-09-02 0.8
Author: Peron/Emerson	SISIEM		0	

3 Index

The struck through Index below was to v0.5. Page numbers subsequently changed when Board disposition added, and have not been updated.

AKA-001, 50	PBA-007, 29
FCT-001, 20	PBA-008, 30
FCT-002, 46	PBA-009, 33
FCT-003, 48	PBA-010, 31
FCT-004, 27	PBA-011, 36
FCT-005, 43	PBA-012, 47
MPE-001, 7, 17, 53	PBA-013, 49
MPE-002, 8	PBA-014, 52
MPE-003, 12	PBA-015, 54
MPE-004, 13	PBA-016, 57
MPE-005, 62	PBA-017, 58
MPE-006, 66	PBA-018, 59
MPE-007, 67	SCA-001, 32
MPE-008, 64	SCA-002, 35
MPE-009, 19	WHU-01, 10
MPE-010, 21	WHU-02, 25
MPE-011, 37	WHU-03, 41
MPE-012, 40	WHU-04, 26
MPE-013, 45	WHU-05, 42
MPE-014, 56	WHU-06, 55
MPE-015, 60	WHU-07, 24
PBA-001, 65	WHU-08, 39
PBA-002, 9	WHU-09, 38
PBA-003, 15	WHU-10, 11
PBA-004, 22	WHU-11, 14
PBA-005, 23	WHU-12, 34
PBA-006, 28	WHU-13, 18

oOo